UNDERSTANDING EMBODIED CARBON **IN STEEL**



Australasian Certification Authority for Reinforcing & Structural Steels





TRACEABILITY








ACRS - CARES SUSTAINABILITY PARTNERSHIP



Independent Sustainable Construction Steel Scheme



Our upfront opportunity:

Australia's policy roadmap to reduce upfront carbon in the built environment

PRELIMINARY FINDINGS

Jeremy Mansfield OAM, ASBEC Project Manager







Australian Australasian Institute of AIRAH AUSTRALIAN Railway **GLASS &** Architects Association AUSTRALIAN AUSTRALIAN MODERN Steel Stewardship Forum PASSIVE HOUSE AUSTRALIAN SUSTAINABLE BUILDING DESIGNERS UILDING Responsiblesteel ASSOCIATION OF AUSTRALIA ALLIANCE ASSOCIATION **BUILT ENVIRONMENT COUNCIL** Safe and su Design Matters CONSULT AUSTRALIA National **CIOB** Australasia ENGINEERS AUSTRALIA FMA energy efficiency Y, ACRS COUNCIL Sustainable, Infrastructure **Green Building** Ш Sustainability decarbonised Council Australia Council PROPERTY GF COUNCIL of Australia communities Planning LIVING FUTURE INSTITUTE" AUSTRALIA INSULATION Institute AUSTRALASIA Australia Effective The Insulation Industry's Voice Improving our THE RIGHT INSULATION MATTERS **RICS**° regulation, codes existing wfaanz INFRASTRUCTURE PARTNERSHIPS AUSTRALIA and standards WINDOW FILM ASSOCIATION building stock STANDARDS Australia (မြှ Window Shading 6 INFRASTRUCTURE Association of MASTER BUILDERS NET ZERO Australian Institute of Australia AUSTRALIA WWF **roads** australia **Community Housing** Landscape Architects INDUSTRY ASSOCIATION Rainwater AUSTRALIAN Harvesting CONSTRUCTORS renew. USTRALIA ASSOCIATION **Vinyl Council Australia** A DIVISION OF IRRIGATION AUSTRALIA

The project



Figure 1. GBCA and thinkstep-anz (2021): Embodied Carbon and Embodied Energy in Australia's Buildings.



Australian Government Department of Climate Change, Energy, the Environment and Water







Scaling and deepening NABERS'




0


Supporting the **supply chain** to deliver better products and services

Supporting the value chain to deliver better design and construction outcomes

Adapted to the needs of different segments and sectors



asbeč |₅







EMBODIED CARBON EMISSIONS IN AUSTRALIA'S BUILT ENVIRONMENT

ISSUES PAPER

PRODUCED BY



thinkstep Mansfield



250 national, state and city regulations, policies and action plans from over 20 countries, including 104 regulatory instruments were reviewed.



34 sources were researched using a defined parameter set to extract critical information to inform Australia's directions for government and industry.




30 leading policy sources from 11 countries were analysed.





Lots of progress...





N*

Improve

Adopt construction techniques

consumption, manufacturing and

What construction techniques

transportation, and design life.

could be incorporated to

Hierarchy of decision making

allow low-carbon delivery?

that improve the use and

efficiency of resource

Environmentally Sustainable Procurement Policy



Opportunities to reduce greenhouse gas emissions of infrastructure



Embodied Carbon Projections for Australian Infrastructure and Buildings

2024







Decarbonising Infrastructure Delivery Policy

Reducing Upfront Carbon in Infrastructure

www.infrastructure.nsw.gov.a

NABERS

The Rules Embodied Carbon Version 1.0 — November 2024



NAGERS is administered by the New South Wales Government

For NABERS Embodied Carbon ratings, key materials are defined as the following:

a) <u>Substructure</u>: all concrete, reinforcing steel, structural steel, and structural timber in components including slabs, columns, footings and anchors in the substructure.
b) <u>Superstructure</u>: all concrete, reinforcing steel, structural steel, structural timber, and aluminium, in components including framing, suspended floors, columns, beams, rafters and lift shafts.

c) <u>Envelope</u>: all cladding, roof, curtain wall, windows and brickwork/blockwork.
d) <u>External works</u>: all concrete and reinforcing steel, blockwork associated with a carpark hardstand, and retaining walls or


hard landscaping.

e) Any material that uses a product-specific emission factor (see Section 9.4).





The built environment needs to reach at least 60% upfront embodied carbon reduction by 2035












How do we get there?

		Possible	e pathways (under review in detail) 2035
Supply chain decarbonisation and using low carbon materials		• • •	Renewable Energy Transition Regulatory and Market Incentives Research and Transparency Market Disclosure / Adoption and Streamlining
Building design and material efficiency		• •	Mandatory Disclosure – start with Commercial buildings Incentives for design solutions for low carbon materials focus Mandate % reduction targets in upfront carbon
Fossil fuel free transport and construction		• •	Fossil fuel free construction equipment and machinery Transition sites to renewable energy sources and electrify Eliminate use of fossil fuels in all construction activities
Better planning and procurement	>>= >>=	•	Retrofit First Policy and Incentives Government action on standards and procurement processes

Steel production, total CO2 emissions and CO2 intensity, 2019 – 2050 under the International Energy Agency (IEA) Sustainable Development Scenario (SDS)



To achieve our net zero goals, we need to reduce our embodied carbon emissions by at least 60% before 2035.



Embodied carbon from buildings and infrastructure contributes 10% of the national emissions. Reducing it is key to achieving Australia's net zero commitment.



Reducing embodied carbon requires a systemic approach across the sector – from design improvements in how we build to investing in our supply chains.



Most embodied emissions occur upfront, in contrast to operational emissions, which accumulate over time.



Tackling upfront carbon provides immediate emissions savings.



Immediate action on embodied carbon is essential for significant climate impact.



Industry is on the journey, but we need Government to step in and help us get there.

ACRS SUSTAINABLE CONSTRUCTION STEELS (SCS) SCHEME

PROCESSORS AND TRADERS

Dr Leo Frawley ACRS



ABOUT ACRS

- Leading certifier to AS/NZS standards
- Independent, not for profit & accredited by JAS-ANZ
- > ACRS certification provides end-users confidence in sourcing steel products
- ACRS has approximately 300 certificate holders from 150 companies in 27 countries
- Certification includes reinforcing & structural steel producers and down stream processors.



Australia – Paris agreement

- Australia has signed the Paris agreement
- Committed to reduce emissions to 43% below 2005 levels by 2030

- predominantly through replacing coal fired power with renewable


- Net zero emissions by 2050
- Built environment contributes around 40% of Australia's CO₂ emissions
- 15% of these emissions are attributed to embodied carbon in building materials

- predominantly CO₂ emissions from steel and cement manufacture

Growing demand for "low emission" or "low embodied carbon" steel



STEEL PROCUREMENT DECISION MAKING





- Australian mills:
 - IB's GWP's: Reinforcing rod 1750kg, bar 1330kg, Sense 600 966kg
 - Proposed Green Steel WA with energy efficient Danieli micro-mill GWP ~400kg
- SE Asia:
 - GWP: 1000 ~ 1200kg. (NatSteel 490kg)
- China /India
 - Predominantly using iron ore/BF route for reinforcing GWP 2400~3500kg
- Middle East:
 - Big EAF's fed with scrap & DRI using cheap natural gas
 - GWP: 1600 ~ 2600kg
- Europe:
 - EAF's benefit from relatively low emission (50 ~ 300g/kwh) electricity
 - Relatively low emissions GWP: 400 ~ 900kg



Steel Industry – Sustainability Schemes

- > Sustainability Schemes for **Steel Manufacturers**
 - Sustainable Construction Steel (SCS) ACRS/CARES
 - Responsible Steel
 - Suststeel from Eurofer
 - Others
- Sustainability Schemes for Australian Steel Processors
 - Steel Sustainability Australia (SSA) ASI
 - Sustainable Construction Steels for Processors & Traders (ACRS)
- Green Star Rating Schemes
 - GBCA rewarding a mills broader sustainability credentials (RPV)
 - NABERS (National Aus Built Environment Rating Scheme) emissions intensity in buildings



Sustainable Construction Steel (SCS) Certification – <u>Steel Mills</u>

- ACRS promoting SCS to certified mills
- > Developed by UK CARES, Launched in 2009, Ver. 10 due 2025
- Specifically developed for the construction steel supply chain.
- Scheme includes reinforcing, structural & hot rolled flat steel, rail steel, PC wire & strand, etc.
- > Applies to primary manufacturers of steel and processors
- Accredited to BS8902 "Responsible Sourcing Sector Certification Schemes for Construction Products"
- Mills are assessed against 140 criteria
- > 15 ACRS Certified Mills with SCS certification

SCS requires a threshold emissions factor to achieve certification



ACRS Sustainable Construction Steel (SCS) – for Processors & Traders

Scope of Certification Scheme

- Scheme based on SCS for Steel Mills
 tailored for traders and processors in Australia
- Scheme designed for the steel downstream value chain
 - Processors and distributors of structural steels
 - Processors and distributors of reinforcing steels (e.g. bar, coil & mesh)
 - Other steel products and/or processes made to a standard acceptable to ACRS
 - Traders of construction and other steels
- Upstream steel producers are outside the scope of this scheme

Certification is designed to align with the principles of the GBCA's Responsible Product Framework.



Category	Criterion number 4.1	Criterion	Level 1 - Mandatory		Criterion Level 1 - Well Mandatory Managed		Well Managed		Mandatory Managed			el 3 – est ctice
			Responsible Practices									
	4.1.1	Accountability	P	I	Р	I	P					
	4.1.2	Responsible Business Conduct	Р	Т	Р	Т	Р	Т				
Responsible	4.1.3	Stakeholder Engagement	Р	Т	Р	Т	Р	Т				
Practices	4.1.4	Communications, competence and training	Р	Т	Р	Т	Р	Т				
	4.1.5	Risk based approach to responsible business conduct	Р	Т	Ρ	Т	Ρ	Т				
	4.1.6	Transparency and reporting			Р	Т	Р	Т				



Category	Criterion number	Criterion	Level 1 - Mandatory		Level 2 – Well Managed		Best	
	4.2	Envi	ironmenta	al Respon	sibility			
_	4.2.1.1	Environmental Management System	Р	Т	Р	Т	Р	Т
	4.2.1.2	Environmental Management System certification					Р	Т
	4.2.2.1	Decarbonisation strategy	Р	T	Р	Τ	Р	Т
Environmental	4.2.2.2	Renewable energy use	Р	Т	Р	Т	Р	Т
Responsibility	4.2.3.1	Transport impacts			Р	Т	Р	Т
	4.2.3.2	Transport impacts reporting					Р	Т
	4.2.4.1	Environmental Product Declaration (EPD)	Р	Т	Р	Т	Р	Т
	4.2.4.2	Carbon footprint	Р	Т	Р	Т	Р	Т
	4.2.4.3	Carbon footprint Verification					Р	Т



Category	Criterion number	Criterion	Level 1 - Mandatory		Level 2 – Well Managed		Vell Best	
	4.3		He	althy				
	4.3.1.1	Occupational Health and Safety (OHS) Management System	Р	Т	Р	т	Р	Т
	4.3.1.2	OHS Management System certification					Р	Т
Healthy	4.3.1.3	Worker compensation	P	Т	Р	Τ	Р	Т
liteanity	4.3.1.4	Safety Reporting			Р	Т	Р	Т
	4.3.2	Paints and coatings	Р	Т	Р	Т	Р	Т
	4.3.3.1	Chemicals disclosure	Р	Т	Р	Т	Р	Т
	4.3.3.2	Chemicals substitution			Р	Т	Р	Т
	4.3.4	Health impacts declaration	Р	Т	Р	Т	Р	Т
	4.3.5	Socially accountable			Р	Т	Р	Т



Category	Criterion number	Criterion	Level 1 - Mandatory		Level 2 – Well Managed		Level 3 – Best Practice	
	4.4		Po	sitive				
	4.4.1	Customer service	Р	Т	Р	Т	Р	Т
	4.4.2	Responsible sourcing and traceability						
	4.4.2.1	Product conformity	Р	Т	Р	Т	Р	Т
	4.4.2.2	Traceability	Р	Т	Р	Т	Р	Т
	4.4.2.3	Provenance			Р	Т	Р	Т
	4.4.3	Supplier management systems and approvals						
	4.4.3.1	OHS management systems			Р	Т	Р	Т
Positive	4.4.3.2	Certified OHS management systems					Р	Т
	4.4.3.3	Environmental management systems			Р	т	Р	т
	4.4.3.4	Certified Environmental management systems					Р	Т
	4.4.3.5	Labour and human rights management systems			Р	т	Р	т
	4.4.3.6	Modern Slavery	Р	Т	Р	Т	Р	Т
	4.4.3.7	Anti-bribery and corruption			Р	Т	Р	Т
	4.4.3.8	Certified Anti-bribery and corruption system					Ρ	Ţ



Category	Criterion number	Criterion	Level 1 - Mandatory		Level 2 – Well Managed		Level 3 – Best Practice	
	4.5		Circular					
	4.5.1.1	Circularity principles	Р	Т	Р	Т	Р	Т
Circular	4.5.1.2	Resource management plan	Р	T	Р	T	Р	Т
Circular	4.5.1.3	Resource reporting			Р	Τ	P	Т
	4.5.1.4	Waste reduction			Р	Т	Р	Т
	4.5.2	Recycled content	Р	Т	Р	Т	Р	Т



- > Aligns with the Green Building Council of Australia (GBCA) Responsible Product Framework
- > RPV Score currently under review by GBCA

Available	Level 1 Mandatory	Level 2 Well Managed	Level 3 Best Practice		
RPV Score	Potential RPV Score	Potential RPV Score	Potential RPV Score		
22	13	21	22		



ACRS SCS Processors & Traders – Application Process

- Contact ACRS for application
- > ACRS Provide Copy of Scheme Rules / Guidance document / Self Assessment Workbook
- Client completes Application Document & Self Assessment Workbook
- Assessor performs desk-top review. Gaps identified.
- > On-site verification audit undertaken and NC's issued
- Assessor prepares recommendation to ACRS Audit Committee (AAC)
- Once Certification approved, "Certificate of Approval" and "Balanced Score Card" issued

Dr Leo Frawley

UNDERSTANDING EMBODIED CARBON **IN STEEL**



Australasian Certification Authority for Reinforcing & Structural Steels ESG

CONTRACTOR PERSPECTIVE

Who we are

Transforming lives

We're Australia and New Zealand's leading end-to-end integrated infrastructure, building, rail and multi-modal transport company.





Work in hand



Contributed to Australia's GDP between 2016 & 2020

Projects across Australia








What we do

Fully integrated, deep expertise across diverse sectors

Which makes us great at solving problems and unlocking new solutions.



Our national business

Building & property

We're shaping Australia's built environment, delivering some of the country's most innovative and award-winning projects.





\$1.4bn Revenue in 2023



on

15+ Projects across

Projects across Australia



Indigenous businesses and social enterprise spend since 2022



Suppliers and subcontractors



Employees

Where we work

Regions

Vic/Tas/SA NSW/ACT Qld/NT

Sectors



Commercial
Health
Justice & corrections
Education & research
Tourism & stadia
Precincts & transport
Accommodation & living

SUSTAINABILITY AT JOHN HOLLAND

- John Holland has been driving positive change in Australia for **70+ years** and we are committed to leaving a legacy for communities which is just as important as the physical places we build.
- Sustainability is a priority for John Holland. Sustainability is about how we consider **our people, the community, clients, our supply chain and the environment in running our business.**
- Together, we work to deliver **better**, **smarter assets** for our customers and communities, and continue our commitment to building a **resilient and sustainable industry**.
- We are **genuinely committed to transforming lives** through the work we do and the care we take in doing it.

Why is ESG important to John Holland and our clients?

JOHN HOLLAND

SUSTAINABILITY POLICY

UP FOR THE CHALLENGE OF TRANSFORMING LIVES

OUR COMMITMENT

We value the environment and communities in which we work. Our goal across all our business activities is to drive economic growth, environmental resilience and social progress. In collaboration with our customers and stakeholders, we strive to create a positive legacy for the communities in which we work.

OUR APPROACH

John Holland's core values drive our everyday interactions and quide our approach to sustainability.

CLIMATE POLICY

UP FOR THE CHALLENGE OF TRANSFORMING LIVES

OUR COMMITMENT

We recognise that what we do today has an impact on future generations. In line with our purpose to transform lives, we are committed to understanding and mitigating climate change impacts across all areas and activities initiatives that are aligned with the goals of the Paris Agreement and 1.5-degree global target, and at the same

OUR APPROACH

John Holland's four values of caring, empowering, imaginative and future-focused underpin everything we do, including our approach to climate. We care deeply about what we do and how it affects the climate, now and for t



(:Q:


1

Empowering

Future-focused



Future-focused



OUR COMMITMENT

- · We consider the social, environmental and economic impactsof what we do and how we run our business.
- · Both our Sustainability and Climate Policies details our commitments how we demonstrate this commitment via our values
- · Our Sustainability procedure and framework guide and shape the delivery of Sustainability outcomes on our projects
- · We implemented an industry first Sustainability Linked Loan Bonding Facility in 2021 linked to four ESG related KPIs
- · We have renewed the Sustainability Linked Loan Bonding Facility for another four years to 2028 with four new KPIs





Caring

 \bigcirc

(:Q:

>>>>

John Holland Sustainability reporting

- Monthly tracking
 - Energy (Scope 1 & 2)
 - Water
 - Waste
 - Materials
- Material inputs
 - Material type
 - Use
 - Manufacturer
 - Quantities
 - Certification

Industry Drivers

- Asset Owners
 - Environmental, Social & Governance Reporting
 - Internal Carbon Reduction targets
 - Social Procurement targets
- Mandatory climate-related financial disclosure
- Third Party Certification
 - Green Star
 - ISC
 - NABERS

Industry Drivers – Green Star



Responsible Products

- Credit 5 Responsible Procurement
- Credit 6 Responsible Structure



Positive

- Credit 21 Upfront Carbon
- Credit 26 Life Cycle Impacts



People

Credit 33 Procurement and Workforce Inclusion



Leadership

Circular Economy

Industry Drivers – ISC



- Governance Sustainable Procurement
 - Spr-1 Sustainable Procurement
 - Spr-2 Supplier Assessment and Selection
- Environment
 - Rso-6 Material Life Cycle Impact Measurement and Management
 - Rso-7 Sustainability Labelled Products and Supply Chains
- Social
 - Leg-1 Leaving a Lasting Legacy
 - Wfs-1 Jobs, Skills and Workforce Planning

JOHN

HOLLAND

Industry Drivers – NABERS Embodied Carbon

NABERS

- Industry and Sector Benchmarking
- Centalised Data
 - Consistent reference emissions intensity
 - EPD Database
- Incorporation into Green Star credit 21 Upfront Carbon

JOHN

HOLLAND

Shared Responsibility

What do we need from our trade partners?

- Supporting our reporting requirements for mandatory Climate-Related Disclosures Materials (Our Scope 3)
- Low Carbon materials
 - Manufacturing to Gate
- Understanding of Sustainable Procurement requirements
 - Environmental, Social and Governance risks
 - Reporting and transparency
- Verification
 - Accurate data i.e. EPDs
 - Third party verification for wider Sustainability outcomes
 - Innovation via development and technical data
- Data Sharing Business to Business

Certification Requirements Summary

	Green Star	ISC	NABERS	Requirement
Environment	Credit 6 Credit 21 Credit 26 Credit 5	Rso-7 Rso-7	Embodied Carbon tool	 EPDs 3rd Party verification – GreenTag, GECA etc ACRS CARES SCS Scheme V9
Social	Credit 33	Leg-1 Wfs-1		 Subcontractors: Understanding of workforce and supply chain Association Membership – Social Traders, Buyability Supply Nation
Governance	Credit 5 Credit 6	Spr-1 Spr-2		 Supporting ISO20400 reporting ISO14001 3rd Party Verification – GreenTag, GECA etc ACRS CARES SCS Scheme V9



Thank you

johnholland.com.au

in (f) 🌶 🞯 👜



Λ


Supplying Processed Steel with Sustainable Credentials

By: Julian Borgert

Sustainable Infrastructure is the holy grail

- Global supply chains
- Intermediate parties steel traders
- Sustainability rules are not consistent world wide
- Some mills manufacture their own steel others purchase billet from multiple sources
- Traceability is paramount

Calculating the carbon footprint and GWP/T is the easy part...




Calculating the carbon footprint and GWP/T is the easy part...

What about ensuring:

- Modern slavery provisions
- Social accountability
- Health and safety of products used to manufacture the Goods
- Environmental performance of supply chain
- Circular economy and how to accurately report on this

The CARES / ACRS SCS Scheme

- Scheme has been modelled on the world class Cares Mill scheme
- Modified to suit Traders and Processors
- Provides a uniform approach to dealing with sustainability on projects
- Assists upstream Clients
- Provides sustainability assurance
- Dovetails well with current ACRS scheme certification
- Helps embrace circular economy through sustainable credential traceability
- Rates very highly vs other schemes



Implementation in a nut-shell - Step 1



ACRS Sustainable Constructional Steels (SCS)

Processors and Traders

Certification Scheme

Version No: Initial Issue (v00)

Date: Aug-24

ANNEX 1 - SELF ASSESSMENT AND AUDIT WORKBOOK GUIDANCE FOR SELF-ASSESSMENT

Scheme Context

The ACRS Sustainable Constructional Steel (SCS) Certification Scheme ensures that construction steel used in Australia and New Zealand meets the highest global sustainability standards. This scheme is designed to:

* Focus in on the expectations and needs of Australia and New Zealand construction and infrastructure buyers and leading steel companies

* Include some of the highest standards linked to the latest science a broad scope of issue coverage to enable responsible supplier selection and supply chain management

* Set reasonable minimum threshold levels for performance in relation to material aspects

* Enable certified organisations to be recognised for demonstrating higher levels of performance and management across the full range of material sustainability aspects through its Rating System * Align with and build on the principles of the Green Building Council of Australia (GBCA) Responsible Product Framework, tailored for processors and traders

* Allow processors and traders to demonstrate to clients. specifiers, engineers, contractors and other stakeholders responsible practices and how to gain credits under the GBCA Green Star rating system.



Implementation in a nut-shell - Step 2

	ACRS	Sustainable Construct	onal	Steel	s (SC	S)																
	Proces	sors and Traders Cert	ificati	ion S	chem	е																
ACRS	Comple	ete Requirement List, S	Scorir	ng an	d Rat	ing																
	There ar datory expec	ents to meet the defined ACRS c e differentiated requirements for Proce tation to be certified under this sch Vell Managed and Level 3 – Best Pr	ssors (P) eme. Cre	and Tra dit can b	ders (T). De obtaine			Level 2	A	CRS SC	SScor	ing and	Rating	I	Alignment to t	Responsible n, CA: Credit	e Produ	et Fram ment, H	ework P: High			P:
Criterion Level 1 Level 2 Level 3				(ol 2	Level 1 Level 2 Level 3 Mandatory Well Managed Best Practice			Available	Level 1 Mandatory		Level 2 Well Managed		Level 3 Best Practice									
Category	number	Criterion	Mand				aged Best Practice		P ACRS Score						Requirement	RPV Score	P RPV Score	T RPV Score	P RPV Score	T RPV Score	P RPV Score	T RPV Score
	4.1.1	Accountability	Р	Т	Р	Т	Р	Т														
	4.1.2	Responsible Business Conduct	Р	Т	Р	Т	Р	Т														
	4.1.3	Stakeholder Engagement	Р	Т	Р	Т	Р	Т														
	4.1.4	Communications, competence and training	Ρ	т	Р	Т	Р	т														
	4.1.5	Risk based approach to responsible business conduct	Ρ	Т	Р	Т	Р	т														
	4.1.6	Transparency and reporting			Р	т	Р	т			1	1	1	1	Transparent Chain of Custody - CA	2			2	2	2	2
	4.2.1.1	Environmental Management System	Ρ	т	Р	Т	Р	т							Environmental Management - CA	1	1	1	1	1	1	1
Environmental Responsibility	4.2.1.2	Environmental Management System certification					Р	т					1	1								
	4.2.2.1	Decarbonisation strategy	Ρ	т	Ρ	Т	Ρ	т							Corporate Commitment on Climate - CA	1	1	1	1	1	1	1
	4.2.2.2	Renewable energy use	Ρ	т	Р	т	Р	т							Energy Use Reduction - CA	1	1	1	1	1	1	1
	4.2.3.1	Transport impacts			Р	Т	Р	Т			1	1	1	1								



Carbon Footprint and EPDs - step 3

PRODUCT CARBON FOOTPRINT One LCA

This quantifies a product's contribution towards global warming. This is referred to as carbon footprint, global warming potential and also embodied . carbon

CARBON FOOTPRINT Declared unit Mass of declared unit (kg) GWP-fossil, A1-A3 (kg CO2e) GWP-total, A1-A3 (kg CO2e)

1 ton

1000

1,21E+03

1.21E+03

STANDARDS These are ISO 14021 self-

declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+42

Manufacturer Precisions Precast Reinforcement Address 10 Torrens Avenue, Cardiff, NSW, 2285

https://precisionprecast.com.au/ Website

MANUFACTURER AND PRODUCT

Product name General Steel Products SCOPE OF ASSESSMENT The results have a cradle-to-Product reference

gate scope, comprising raw materials extraction and supply (A1), transport (A2) and Place of production Australia manufacturing (A3).

Period for data 2023



The products are manufactured from imported DBIL and DBIC from ACRS suppliers. Material is kept on-site until it is placed into PPRs machinery to be manufactured to, by, either or in combinations with the following procedures: cutting, bending, splicing, overlapping, coupling, and welding, to the client's specifications



Generated with One Click LCA. This is a self-declared carbon footprint report, not an Environmental Product Declaration (EPD). If you require EPDs, visit the work's fastest Building Life Cycle Assessment software - One Click LCA



Introduction

The purpose of this document is to fulfill the requirements as set out in the ACRS/CARES sustainable constructional steel fabricators and traders certification schemes (SCSFTC), pursuant to various clauses. As required by the clauses Precision Precast Reinforcement (PPR), have undertaken a Life Cycle Assessment (LCA) of their manufactured products with a weighted average of Global Warming Potential total (GWPt). PPR have also produced a self-declared environmental product declaration (SDEPD) for their process in manufacturing steel reinforcement for the pre-cast concrete industry.

This document will also form the basis for which PPR will plan to outline its process to further reduce its GWPt for its products, that will be monitored on an annual basis and reported in updated editions of this document.

As per the Australian government's commitment to net zero by 2050, and to assist with keeping the gain in temperature of 1.5°C. By 2030 there is to be reduction in emissions of 43% as compared to 2005 emission levels. Stronger Action On Climate Change | Prime Minister of Australia (pm.gov.au). As PPR was founded after 2005, there is no emission factor to measure against. The reduction will be made from calculating the factors in Aus LCI 1.42 for reinforcing steel, at plant, material (1500kg/t/ CO2-eq) and hot treatment, cold impact extrusion, steel, processing (160kg/t/ CO2-eq). This gives a total of 1660kg/t/ CO2-eq. With PPR committing to a 43% reduction by 2030 their target is 946kg/t/ CO2-eq.

The Calander year of 2023 was selected as the year for benchmarking the GWPt for PPR and its processes

Results Summary

This section will summarise the results of the LCA for each given Calander year with variations presented based on the previous year. Reporting GWPt (kg CO2-eq), manufactured volumes (t), annual waste (t).

Manufacturing	GWPt (kg	(CO2-eq/t)	Manufacturing Volumes (t)		Annual Waste (t)		
Year	Result	% Difference	Result	% Difference	Result	% Difference	
2023	1210	N/A	4173.7	N/A	65.096	N/A	
2024							

Environmental

Product

Pro

Pn

50

Put

Val

100

Declaration

SDEPO of multiple products, based on average results of the product group. In accordance with ISO 14025/2006 and EN 15804:2012+A2:2019/AC:2021 for: Steel Deformed Reinforcing Bar

Precision Precast Reinforcement

ALC: NO.	
gamme:	The International SPO* System, avec environmentary
gramma operator:	EPO International AB
EPO registration number:	SFD-0001.1
tication data:	2024-08-28
ki untik	2029-08-07
liple product grouping	SDEPD of multiple products, based on the average measits of the prod group
	An ECEPC character presiste current determines and may be specified if considers along al data solution to therefore subject to the constituted registration and publication at some and adding to therefore subject to the constituted registration and publication at some and adding to the specific subject to the constituted registration.





Some new policies - step 4

Chemical of Concern and Substitution for Steel suppliers -

	2023							
Supplier	Chemicals of Concern	Chemical substitution	ACRS Score					
1	Asking Trader	N/A						
2	Page 17 of EPD, none found	N/A						
3	Page 12 of EPD, none found	N/A						
4	Asking trader							
5	Page 11 of EPD, none found	N/A						
6	Page 4 of EPD, none found	N/A						
7	Asking trader							
8	Page 6 of EPD, none found	N/A						
9	None declared with proxy EPD	N/A						
	A	verage ACRS score						

Responsible Sourcing and traceability for Steel suppliers - 2023

Supplier	ACRS or Equivalent Certified	ACRS or ISO9001 or Equivalent certified	ACRS Score
1	ACRS accredited, Cert number 100501	CARES ISO 9001	
2	ACRS certified, page 31 of ESG report 2022, cert 110304	ISO 9001:2015 certified, page 31 of ESG report 2022	
3	ACRS accredited 2019 https://www.putrabajadeli.com/product.html	ISO 9001 accredited 2019 https://www.putrabajadeli.com/product.html	
4	Asking trader	ISO 9001 https://www.shiuwingsteel.com/sustainability	
5	Asking trader	Asking trader	
6	Asking trader	Asking trader	
7	Asking trader	Asking trader	
8	EU 333/2011 certified, cert IGQ n.0104-2020	ISO 9001:2015 certified, cert IGQ 9208A	
9	ACRS accredited, cert 110508	ISO 9001:2015 certified, cert 0070898	
		Average of ACRS score	

Supplier management systems and approvals 4.4.3.1 and 4.4.3.2 - 2023

Supplier	4.4.3.1	4.4.3.2	ACRS Score
1	N/A see 4.3.2	Certificate to ISO 45001 RC 24 UKAS	
2	Asking trader	Asking trader	
3	Asking trader	Asking trader	
4	Asking trader	Asking trader	
5	OHS stated on website https://www.dongkuksteel.co m/en/csr/safety management	Asking trader	
6	Asking trader	Asking trader	
7	Asking trader	Asking trader	
8	N/A see 4.3.2	ISO 45001:2018 certified, cert IGQ S2K01	
9	N/A see 4.3.2	ISO 45001:2018 certified, cert 717S002-01	
		Average ACRS score	

Supplier management systems and approvals 4.4.3.3 and 4.4.3.4 - 2023

Supplier	4.4.3.3	4.4.3.4	ACRS Score
1	N/A see 4.3.4	Certificate to ISO 14001 RC 24 UKAS	
2	Asking trader	Asking trader	
3	N/A see 4.3.4	ISO 14001 accredited https://www.putrabajadeli.co m/product.html	
4	Is CIC Green Certified https://www.shiuwingsteel.co m/sustainability	Asking trader	
5	OHS stated on website https://www.dongkuksteel.co m/en/csr/safety management	Asking trader	
6	Asking trader	Asking trader	
7	Asking trader	Asking trader	
8	N/A see 4.3.2	ISO 14001:2015 certified, cert IGQ A2J04	
9	N/A see 4.3.2	ISO 14001:2015 certified, cert 7M8E002-08	
		Average ACRS score	



What are the biggest drawbacks from the point of view of Processors?

The biggest single problem faced by people within the supply chain currently is the nonuniformity of requirements from asset owners / purchasers:

- Non uniformity of reporting
- Non uniformity of measurement
- Multi Client facilities may have difficulty in splitting the performance of the whole factory to the particular supply for a single client. One solution GWP/T of finished product at the factory gate + delivery
- There needs to be a level playing field in terms of sustainability performance and measurement the SCS scheme provides this but matching it to competitive schemes may be a challenge for the end user.
- The SCS scheme will only be end to end when all players in the supply chain are accredited until then it is sustainable traceability + processor reporting. Many steel mills are still on the journey to accreditation.



UNDERSTANDING EMBODIED CARBON **IN STEEL**



Australasian Certification Authority for Reinforcing & Structural Steels